



SAFETY DATA SHEET

ARMOR ALL EXTREME TIRE SHINE

According to Regulation (EC) No 1907/2006

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME ARMOR ALL EXTREME TIRE SHINE

APPLICATION Enhancing automotive tyres.

SUPPLIER Clorox Europe Ltd,
Unit 16, Rassau Industrial Estate,
Ebbw Vale,
Gwent NP23 5SD, UK
Tel: 44 (0) 1495 350234
Fax: 44 (0) 1495 350234
EURegulatory@clorox.com

EMERGENCY TELEPHONE +44 1495 350234
Monday - Thursday: 8.30 - 17.00
Friday: 8.30 - 15.30

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
PETROLEUM DISTILLATES	265-150-3	64742-48-9	60-100%	Xn;R65. R10,R66.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Inhalation of mists or vapours at elevated temperatures may cause respiratory irritation. Move the exposed person to fresh air at once. Get medical attention if any discomfort continues. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Perform artificial respiration if breathing has stopped. Get medical attention.

INGESTION

May cause discomfort if swallowed. **DO NOT INDUCE VOMITING!** Get medical attention immediately!

SKIN CONTACT

Prolonged contact may cause redness and irritation. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

EYE CONTACT

May irritate eyes. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Use: Water spray, fog or mist. Dry chemicals. Foam. Carbon dioxide (CO₂).

SPECIAL FIRE FIGHTING PROCEDURES

Use water to keep fire exposed containers cool and disperse vapours.

SPECIFIC HAZARDS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

ARMOR ALL EXTREME TIRE SHINE**PERSONAL PRECAUTIONS**

Wear protective clothing as described in Section 8 of this safety data sheet.

ENVIRONMENTAL PRECAUTIONS

Avoid discharge to the aquatic environment.

SPILL CLEAN UP METHODS

Wear necessary protective equipment. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Use appropriate containment to avoid environmental contamination. Absorb in vermiculite, dry sand or earth and place into containers.

7 HANDLING AND STORAGE**USAGE PRECAUTIONS**

Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Avoid contact with eyes. Wash hands after handling.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Avoid contact with oxidising agents. Store below 65.5°C.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION**PROTECTIVE EQUIPMENT****HAND PROTECTION**

For prolonged or repeated skin contact use suitable protective gloves.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid Clear		
COLOUR	Colourless		
ODOUR	Light vanilla musk.		
SOLUBILITY	Insoluble in water		
RELATIVE DENSITY	0.84 @ 25 °C	VISCOSITY	18 - 34 cps @ 40 °C
FLASH POINT (°C)	~ 76.6 CC (Closed cup).		

10 STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition.

11 TOXICOLOGICAL INFORMATION**INHALATION**

Inhalation of mists or vapours at elevated temperatures may cause respiratory irritation.

INGESTION

May cause discomfort if swallowed. Gastrointestinal symptoms, including upset stomach.

SKIN CONTACT

May cause mild, transient irritation on prolonged contact. Injection of this product under the skin may cause irritation, swelling and other harmful effects.

EYE CONTACT

Spray and vapour in the eyes may cause irritation and smarting.

12 ECOLOGICAL INFORMATION

ARMOR ALL EXTREME TIRE SHINE**ECOTOXICITY**

The product is not expected to be hazardous to the environment.

13 DISPOSAL CONSIDERATIONS**DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

14 TRANSPORT INFORMATION**GENERAL**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

15 REGULATORY INFORMATION**RISK PHRASES**

NC Not classified.

SAFETY PHRASES

S46 If swallowed, seek medical advice immediately and show this container or label.
S2 Keep out of the reach of children

EU DIRECTIVES

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40.

16 OTHER INFORMATION**REVISION COMMENTS**

Supplier name amended. Re-issued in accordance with Regulation (EC) No. 1907/2006 Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

REVISION DATE 10-2008

REV. NO./REPL. SDS GENERATED 5 / 02-2003

RISK PHRASES IN FULL

R10 Flammable.
R65 Harmful: may cause lung damage if swallowed.
R66 Repeated exposure may cause skin dryness or cracking.

DISCLAIMER

The information supplied here is accurate to the best knowledge and belief of Clorox Europe Ltd, it is however, not intended as a warranty or representation, and should not be construed as such, for which Clorox Europe Ltd assumes any legal responsibility. Any information or advice obtained from Clorox Europe Ltd other than by means of this publication, and whether relating to Clorox Europe Ltd's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Clorox Europe Ltd when used instead of, or in conjunction with materials supplied by Clorox Europe Ltd, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Clorox Europe Ltd accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.