



SAFETY DATA SHEET

FARECLA G6 RAPID ADVANCED DRY USE LIQUID COMPOUND

Page: 1

Compilation date: 05/05/2011

Revision date: 28/01/2015

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FARECLA G6 RAPID ADVANCED DRY USE LIQUID COMPOUND

Product code: AG6-800, AG6-1600

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends. Surface Finishing Medium

1.3. Details of the supplier of the safety data sheet

Company name: Farecla Products Limited

Broadmeads

Ware

Hertfordshire

SG12 9HS

UK

Tel: +44 (0)1920 465041

Fax: +44 (0)1920 466557

Email: technical@farecla.com

1.4. Emergency telephone number

Emergency tel: +44 (0)1920 465041

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H332

Classification under CHIP: This product has no classification under CHIP.

2.2. Label elements

Label elements under CLP:

Hazard statements: H332: Harmful if inhaled.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

[cont...]

SAFETY DATA SHEET

FARECLA G6 RAPID ADVANCED DRY USE LIQUID COMPOUND

Page: 2

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

Label elements under CHIP:

Hazard symbols: No significant hazard.

Safety phrases: S2: Keep out of the reach of children.

S3/7: Keep container tightly closed in a cool place.

2.3. Other hazards

PBT: This product is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALUMINIUM OXIDE 1 - REACH registered number(s): 01-2119529248-35-XXXX

| EINECS | CAS | CHIP Classification | CLP Classification | Percent |
|-----------|-----------|--|--------------------|---------|
| 215-691-6 | 1344-28-1 | Substance with a Community workplace exposure limit. | - | 50-70% |

HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS - REACH registered number (s): 01-2119456620-43-XXXX

| | | | | |
|-----------|---|---|------------------------------|--------|
| 926-141-6 | - | Xn: R65; -: R66 Substance with a Community workplace exposure limit. | Asp. Tox. 1: H304; -: EUH066 | 10-30% |
|-----------|---|---|------------------------------|--------|

WHITE MINERAL OIL (PETROLEUM) - REACH registered number(s): 01-2119487078-27-XXXX

| | | | | |
|-----------|-----------|--|-------------------|-------|
| 232-455-8 | 8042-47-5 | Substance with a Community workplace exposure limit. | Asp. Tox. 1: H304 | 1-10% |
|-----------|-----------|--|-------------------|-------|

DISTILLATES (PETROLEUM) HYDROTREATED MIDDLE - REACH registered number(s): 01-2119457735-29-0003

| | | | | |
|-----------|------------|---|------------------------------|-------|
| 919-029-3 | 64742-46-7 | Xn: R65; -: R66 Substance with a Community workplace exposure limit. | Asp. Tox. 1: H304; -: EUH066 | 1-10% |
|-----------|------------|---|------------------------------|-------|

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

[cont...]

SAFETY DATA SHEET

FARECLA G6 RAPID ADVANCED DRY USE LIQUID COMPOUND

Page: 3

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Retain in original packaging until required

[cont...]

SAFETY DATA SHEET

FARECLA G6 RAPID ADVANCED DRY USE LIQUID COMPOUND

Page: 4

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ALUMINIUM OXIDE 1

Workplace exposure limits:

Respirable dust

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|------------|--------------|------------|--------------|
| UK | - | - | 5mg/m3 | - |

HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

| | | | | |
|----|-------------------|---|---|---|
| EU | 1200mg/m3, 165ppm | - | - | - |
|----|-------------------|---|---|---|

WHITE MINERAL OIL (PETROLEUM)

| | | | | |
|----|---------|---|---|---|
| EU | 5 mg/m3 | - | - | - |
|----|---------|---|---|---|

DISTILLATES (PETROLEUM) HYDROTREATED MIDDLE

| | | | | |
|----|---------|---|---|---|
| EU | 5 mg/m3 | - | - | - |
|----|---------|---|---|---|

8.1. DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required. Atmospheric levels should be maintained below the exposure guideline.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: No special requirement.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: White

Odour: Characteristic odour

Evaporation rate: Negligible

Oxidising: Not Available

Solubility in water: Miscible

Also soluble in: Not Available

Viscosity: Viscous

[cont...]

SAFETY DATA SHEET

FARECLA G6 RAPID ADVANCED DRY USE LIQUID COMPOUND

Page: 5

Viscosity test method: Brookfield @ 20degC

Boiling point/range°C: Not Available

Melting point/range°C: Not Available

Flammability limits %: lower: Not Available

upper: Not Available

Flash point°C: >93

Part.coeff. n-octanol/water: Not Available

Autoflammability°C: Not Available

Vapour pressure: Not Available

Relative density: 1.51

pH: 10.0

VOC g/l: 196

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALUMINIUM OXIDE 1

| | | | | |
|-----------|-----|------|--------|-------|
| DUST/MIST | RAT | LC50 | 7.6 | mg/l |
| ORAL | RAT | LD50 | > 2000 | mg/kg |

HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

| | | | | |
|--------|-----|------|--------|-------|
| DERMAL | RBT | LD50 | > 5000 | mg/kg |
|--------|-----|------|--------|-------|

[cont...]

SAFETY DATA SHEET

FARECLA G6 RAPID ADVANCED DRY USE LIQUID COMPOUND

Page: 6

| | | | | |
|---------|-----|---------|--------|-------|
| ORAL | RAT | LD50 | > 5000 | mg/kg |
| VAPOURS | RAT | 8H LC50 | > 5000 | mg/l |

DISTILLATES (PETROLEUM) HYDROTREATED MIDDLE

| | | | | |
|---------|-----|---------|-------|-------|
| DERMAL | RBT | LD50 | >3160 | mg/kg |
| ORAL | RAT | LD50 | >5000 | mg/kg |
| VAPOURS | RAT | 4H LC50 | >5266 | mg/l |

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: No data available.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Inherently biodegradable. More than 40% biodegradable according to OECD 301.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Recovery operations: Not applicable.

Waste code number: 08 04 12

Disposal of packaging: Dispose of as normal industrial waste.

[cont...]

SAFETY DATA SHEET

FARECLA G6 RAPID ADVANCED DRY USE LIQUID COMPOUND

Page: 7

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and 3: EUH066: Repeated exposure may cause skin dryness or cracking.

H304: May be fatal if swallowed and enters airways.

H332: Harmful if inhaled.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.